




HZJB-660C

1		4
2		4
3		5
3.1		5
3.2		5
3.3		5
3.4		5
4		6
4.1		6
4.2		6
5		7
5.1		7
5.2		8
6		9
6.1		9
6.2		9
6.3		10
6.3.1		10
6.3.2		11
6.3.3		13
6.3.4		14
6.3.5		16
6.3.6		16
6.4		16
6.4.1		16
6.4.2		17
7		17
7.1		17
7.2		18
7.3		19
7.4		19
8		20

MOA

2.1	DSP	ARM
2.2		
2.3		
2.4	5.7	320 × 240
2.5		
	B	PT
2.6		
2.7		PT
2.8	PT	
2.9		128 × 64 OLED
	3	5 7
		PT
2.10		
2.11		220V
2.12		8
2.13		
2.14		
2.15		100

BMP

2.16

3.1

3.1.1

25V 250V 50Hz/60Hz

3.1.2

$\pm \times 5\% + 0.5V$

3.1.3

$\pm \times 10\%$

3.1.4

$\geq 1500k\Omega$

3.2

3.2.1

0 20mA 50Hz/60Hz

3.2.2

$\pm \times 5\% + 5\mu A$

3.2.3

0 , m " $\propto$

.2 4
.3 8 8
.4 20mm() × 27mm() × 150mm()
.5 0.2kg

3.4.6 115mm() × 120mm() × 65mm()

3.4.7 0.6kg ()


3.4.8 -10 50

3.4.9 90%

4.1

1
U1 .1
Ix1p * # ~ +e Wp


2



5.1



5.1.2



3



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望

赫兹电力
HERTZ POWER



5.2.3

“ ↑ ↓ ”

“

”

“ → ”

“

”

“ → ”

5.2.4

128 × 64

OLED

5.2.5

5.2.6

5.2.7

5.2.8

A

B

C

A

B

C

AB

CB

A

PT

B

A

PT

A

“ A-B ”

A

PT

C

“ C-B ”

120mA

5.2.9

“ 7 ”

PT

6.1

6.2

(

)

(

)

,

6.3



6.3.1

“ ” 7


“ ” “ ”





6.3.2

8



8

ABC A B C A-B C-B

B

ABC

A B C



A-B C-B PT B A B C B
ABC A

I-U PT “ ” “ I-U ”

ABC A B C

ABC ABC

A B C A

“ ” “ ” “ ”
“ ” 0 °

	A	B	C
ABC	0 °	0 °	0 °
A	0 °	120 °	240 °
B	240 °	0 °	120 °
C	120 °	240 °	0 °
A-B	30 °	150 °	270 °
C-B	90 °	210 °	330 °

“ ” A B C ± 360.00 °

“ ” “ 4.2 ”

80 ° 1 ° 81 °

A B C

● P T

PT

PT

“

”

“

”

“

”

“

”

PT

PT


PT

●


“

”


6.3.3




9



10



11



12

“

”

“

”

9

10

11

12

13



13



“

”

“

”

“

”

“

”

“

”

6.3.4

•

•

Φa-b Φb-c Φc-a

• Ux

3 5 7

$$U_x = \sqrt{U_1^2 + U_3^2 + U_5^2 + U_7^2}$$

Ex

KV/m

K/m

• U1

E1

• U3 U5 U7 3 5 7

E3 E5 E7

- Ix 3 5 7
- Ixp Ix
- Ir 3 5 7
- Irp Ir
- Ir1p
- Ic1p
- Ir3p Ir5p Ir7p 3 5 7

Φ 90° Ir1p 180° Ic1p
Ix Ic1p Ixp

- P1
- Cx

$$C_x = \frac{I_{c1}}{2\pi f U_1}$$

Ic1
f
U1


U1=1000V
KV

uK uFKV nK nFKV

- Φ Φ

Φ	0	74.99°	75	76.99°	77	79.99°	80	82.99°	83	87.99°	≥ 88°
---	---	--------	----	--------	----	--------	----	--------	----	--------	-------

:





6.3.5

14 15
14

“ 001/003 ”

100 “ ← → ”

6.3.6

15 “ ← → ” “ ” “ ” “ ↑ ↓ ”

6.4

16

欢迎使用

Fa: 50.00Hz
Uxa: 60.00V
Uxb: 60.00V
Uxc: 60.00V

16 17

6.4.1

17

-
- A
-
- 485 ↑ “ → ”
- 3 5 7

“ ↑ ↓ ”

1V

6.4.2

“ → ” “ ” “ ” “ ” “ 1. ”
“ 2. ” “ 2. ” “ ↑ ↓ ” “ → ”
“ 2. ” “ 1. ” “ ↑ ↓ ” “ → ”
“ ↑ ↓ ” “ ” “ 888888 ”
“ → ”

7.1

7.1.1

7.1.2

A

A B C

7.1.3

A

A

B C

120mA

PT

7.1.4


B

B


7.1.5

PT

7.2



7.3



19

19


7.4

B

A C

B

20



20

8.1

8.2

8.3

8.4

8.4.1

8.4.2

8.4.3

“

”

“

”

1

2

1.

2.



1



产品宗旨：技术领先，质量可靠，轻便易用
服务宗旨：快速响应，达到满意，超过期望

3 8

É

36

1♂

a

