

**HZDR-SS**

**三 容 感 仪**

**产  
品**

**明  
书**

**武 兹 力 备 有 公 司**

HZDR-SS



—

—

—



## 一、产品概

“

”

GB3983.2-1989

DL/T840-2003

JB5346-1998

## 二、功

●

●

；

●

●

7.0

1024 × 600

●

●

500

●

U

U

●

●

●




三、技术指标

|   |             |                    |
|---|-------------|--------------------|
| 1 | 100V ± 10%  | 55Hz               |
|   | 40V ± 10%   | 55Hz               |
|   | 8V ± 10%    | 55Hz               |
|   | 2V ± 10%    | 55Hz               |
| 2 | :           |                    |
|   | : 0.1uF     | 6000uF ± 1%+0.01uF |
|   | : 50uH      | 20H ± ( 3%+0.05uH) |
|   | : 5mA       | 2A ± ( 3%+0.05mA)  |
|   | : 20mΩ      | 20kΩ ± ( 3%+0.1mΩ) |
| 3 | 5           |                    |
| 4 | 425*335*210 | mm                 |
| 5 | 8KG         |                    |

四、使 条件

-20 40  
≤ 85%RH

五、 板介





**赫兹电力**  
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望





“ ”

| 三相电容测试 |         |         | 联结方式：D 型 |
|--------|---------|---------|----------|
| 电 压    | 7.122V  | 7.126V  | 7.128V   |
| 电 流    | 130.5mA | 130.9mA | 130.7mA  |
| 测试频率   | 55.00Hz | 55.00Hz | 55.00Hz  |
| 角 度    | 270.4°  | 270.8°  | 270.4°   |
| 阻 抗    | 129.2mΩ | 129.2mΩ | 129.2mΩ  |
| 容 抗    | 51.57Ω  | 51.57Ω  | 51.57Ω   |
| 相电容    | 52.02μF | 52.10μF | 52.06μF  |

“ ”

CT

2

名称 测试1

试品类型 电阻

电流互感器 外置电流钳

额定电压 10.000 kV

测试

CT

“ ”

| 单相电容测试 |         |     |         |
|--------|---------|-----|---------|
| 电 压    | 4.160V  | 阻 抗 | 620.6mΩ |
| 电 流    | 114.9mA | 容 抗 | 39.81Ω  |
| 测试频率   | 55.00Hz | 电 容 | 77.93μF |
| 角 度    | 270.1°  | 电 压 | 2.512V  |

225


027-83267669

“ ” “ ”

|              |                 |       |
|--------------|-----------------|-------|
| 名称: 测试1      | 单相电容测试          | 外置电流钳 |
| 额定频率: 50Hz   | 额定电压: 10.000 kV |       |
| 电压: 4.160V   | 电阻: 630.0kΩ     |       |
| 电流: 114.9mA  | 容抗: 39.81Ω      |       |
| 相位超前: 56.00% | 电容量: 77.25μF    |       |
| 角度: 269.0°   | 容量: 2.512nVar   |       |

“ U ”

“ ”

[illegible]



七、接


Y

Y

Yn

1

CT




2

1 Y

CT

A,B,C




3

Yn

CT

A,B,C



5


III

CT


A,B,C

”


“



A



B



C



## 八、 意事

8.1

8.2

8.3

8.4

8.5

8.5

8.6

8.7

1

2

1.



2.

☐ ☐ ☐ ☐

1

2

3

2

24

027-83267669

24

48

4