



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望

赫兹电力
HERTZ POWER



HZJS-II

赫兹电力
HERTZ POWER





1

2

3

4

5

6

7

8

9



.....	1
.....	1
.....	1
.....	2
.....	3
.....	4
.....	8
.....	10
.....	11





HZJS-II

/

45Hz 55Hz

10kV

50Hz

1

2

3

4


5

50Hz

	3pF 0	60000 pF/10kV 100%	60pF ~ 1 μ F/0.5kV 0.001%
	± 1.0% × ± 1.0% ×	± 1 pF ± 0.04%	
		0.001 pF 0.001	
	10 μ A 5A		
	0.5 10k	200mA	



	50Hz	45/55Hz
	180V ~ 270VAC	50Hz / 60Hz ± 1%
	0 40	≤ 90%RH
	50Hz	45/55Hz
	27.6	kg



1 C_x

2 C_N

3

4.

5. 220V ± 10% 50Hz

6. “ ” “ ” “ ” “ ”

7




8

9 128 × 64


10

11 HV 10kV

1



2



2

PID

/

tg δ




225

027-83267669



0V

3



4

HV ---

CX ---

⏏ ---



1

5

BR16

1

;


2

Cx

L

11

E



5

BR16

HVx

Cx

2


6

1

L

E

2



6

BR16

HV


10kV

HV

3

1


7




X A X HV Cx

2 2 3kV A X X

8 10kV AX



3 9 X 2.5 3kV



4 HV

1 A B C 0

C_x

2 HV Cx

5

HV

HV

Cx




1				
2				
3				
4				
5				

6

Cx

10



7

1

2

tg δ

8

1



2 HV 10kV

1

1

2



HV

,

C_x

C_x

3



HV

C_x

2

11

3

1

“ ”

12

2

“ ” “ ”

13

3

正接

内 C_n

变频



10kV

内 U_n




启动


11



12	正接	内 Un
	变频	10kV 内 Cn
	Testing	55%

13	CX = 50.85PF
	tg δ = 0.002%







“

”

“

”

1

2

1.

2.



1

2

3

2

24

027-83267669

24

48

4